Printing date 20.02.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

- · Trade name FLÜSSIGFOLIE 2KS PULVER
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Sealing

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

### SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.

#### · 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

- Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)
- · Hazard statements
- H315 Causes skin irritation.
- H318 Causes serious eye damage.

H335 May cause respiratory irritation.

#### · Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- Avoid breathing dust. P261
- P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P310

(Contd. on page 2)

Version number 12 (replaces version 11)

Revision: 20.02.2025

### Trade name FLÜSSIGFOLIE 2KS PULVER

	(Contd. of page 1)
P332+P313	If skin irritation occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.

· 2.3 Other hazards

Printing date 20.02.2025

#### · Results of PBT and vPvB assessment

· PBT: Not applicable.

**vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

• **Description:** Mixture consisting of the following components with harmless additives.

<ul> <li>Dangerous compor</li> </ul>	nents:	
CAS: 65997-15-1 EINECS: 266-043-4		10-25%
	<ul> <li>Eye Dam. 1, H318</li> <li>Skin Irrit. 2, H315; STOT SE 3, H335</li> </ul>	
CAS: 1317-65-3 EINECS: 215-279-6	Calciumcarbonat	10-25%
	substance with a Community workplace exposure limit	

# SECTION 4: First aid measures

· 4.1 Description of first aid measures

• After inhalation Supply fresh air; consult doctor in case of symptoms.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- <sup>•</sup> Suitable extinguishing agents

Use fire fighting measures that suit the environment.

- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters

· Protective equipment: Put on breathing apparatus.

### SECTION 6: Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.

(Contd. on page 3)

GB

Printing date 20.02.2025

Version number 12 (replaces version 11)

Revision: 20.02.2025

## Trade name FLÜSSIGFOLIE 2KS PULVER

(Contd. of page 2) • 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies. • 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## SECTION 7: Handling and storage

<sup>.</sup> 7.1 Precautions for safe handling

Keep containers tightly sealed.

Prevent formation of dust.

· Information about protection against explosions and fires: Keep breathing equipment ready.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from humidity and keep away from water.
- Keep container tightly sealed.

Store under dry conditions.

- Storage class 13
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>

\*inhalable dust \*\*respirable dust

1317-65-3 Calciumcarbonat

- WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>
  - \*inhalable dust; \*\*respirable

• Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment

General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Breathing equipment:

Breathing protection recommended. Filter P2.

· Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

GB

Printing date 20.02.2025

Version number 12 (replaces version 11)

Revision: 20.02.2025

## Trade name FLÜSSIGFOLIE 2KS PULVER

<sup>.</sup> Material of gloves

(Contd. of page 3)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability. • **Penetration time of glove material** 

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection Safety glasses

· Body protection: Protective work clothing.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chem	ical properties
General Information	
<sup>.</sup> Physical state	Solid.
· Colour:	Grey
· Smell:	Odourless
<ul> <li>Melting point/freezing point:</li> </ul>	Not determined
· Boiling point or initial boiling point and	
boiling range	2,230 °C (14808-60-7 Quartz (SiO2))
· Flash point:	Not applicable
pH	Alkaline
Viscosity:	
· Kinematic viscosity	Not applicable.
· dynamic:	Not applicable.
· Solubility	
· Water:	Partly miscible
· Steam pressure at 1732 °C:	13.5 hPa (14808-60-7 Quartz (SiO2))
· Density and/or relative density	13.5 m a (14000-00-1 Quanz (0102))
· Density	Not determined
· Settled apparent density	1,000-1,300 kg/m <sup>3</sup>
	1,000-1,500 kg/11
• 9.2 Other information	
· Appearance:	
· Form:	Powder
<ul> <li>Important information on protection of heal</li> </ul>	th
and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
• Explosive properties:	Product is not explosive.
Solvent content:	
· Solids content:	100.0 %
· Information with regard to physical haza	rd
classes	
· Explosives	Void
· Flammable gases	Void
•	Void
· Aerosols	
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
<ul> <li>Self-heating substances and mixtures</li> </ul>	Void
<sup>•</sup> Substances and mixtures, which emit	
flammable gases in contact with water	Void
	(Contd. on page 5)
	Gental on page of

GB

GB

Printing date 20.02.2025

Revision: 20.02.2025

### Trade name FLÜSSIGFOLIE 2KS PULVER

		(Contd. of page 4)
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

#### 1317-65-3 Calciumcarbonat

Oral LD50 >5,000 mg/kg (rat)

Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

#### • Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

•	12.1	Toxicity
---	------	----------

· Aquatic te	oxicity:	
1317-65-3	Calciumcarbonat	
EC 50/48ł	n >1,000 mg/l (G)	
EC 50	289 mg/l (Desmodesmus subspicatus)	
LC50	>10,000 mg/l (Oncorhynchus mykiss (Regenbogenforelle))	
· 12.3 Bioa	istence and degradability No further relevant information available. ccumulative potential No further relevant information available. lity in soil No further relevant information available.	(Contd. on page 6)
		(Conto, on page 6)

Printing date 20.02.2025

Version number 12 (replaces version 11)

Revision: 20.02.2025

### Trade name FLÜSSIGFOLIE 2KS PULVER

(Contd. of page 5)

### 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

#### · Additional ecological information:

· General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

*Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.* 

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	n
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk accordi IMO instruments</li> </ul>	ing to Not applicable.
· UN "Model Regulation":	Void

(Contd. on page 7)

Printing date 20.02.2025

Version number 12 (replaces version 11)

Revision: 20.02.2025

#### Trade name FLÜSSIGFOLIE 2KS PULVER

(Contd. of page 6)

## SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

#### Regulated poisons

None of the ingredients is listed.

#### Reportable explosives precursors

None of the ingredients is listed.

#### Reportable poisons

None of the ingredients is listed.

Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Contact: chemikalieninfo@murexin.com (+43 02622/27401)

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* \* Data compared to the previous version altered.