- GB -

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14 05 2024

Version number 5

Revision: 14 05 2024

	24	version number 5	Revision. 14.05.2024
SECTION 1: Ide	ntification of the	e substance/mixture a	nd of the company/undertaking
· 1.1 Product ident	ifier		
• Trade name <u>FUG</u> • 1.2 Relevant iden No further relevant	tified uses of the	substance or mixture an	d uses advised against
• Application of the	e substance / the	mixture Sealing mortar	
 1.3 Details of the Manufacturer/Sup MUREXIN GmbH Franz v. Furtenbac A-2700 Wiener Ne Tel.: +43 (0)2622/2 	oplier: chstr. 1 ustadt	afety data sheet	
Informing departs			
• 1.4 Emergency te			e e e e e e e e e e e e e e e e e e e
UK National poisoi	TS Emergency nurr	nber.: +44 (0) 870 600 626	D
SECTION 2: Haz	zards identificat	tion	
• 2.1 Classification • Classification acc		or mixture tion (EC) No 1272/2008	
corrosion			
Eye Dam. 1 H318	Causes serious ey	ye damage.	
Skin Irrit. 2 H315	Causes skin irritat	tion.	
	ing to Regulation ssified and labelled	(EC) No 1272/2008 according to the GB CLP	regulation.
<u> </u>			
GHS05			
· Signal word Dang	jer		
 Hazard-determini Cement portland, I Hazard statement H315 Causes skin H318 Causes serio Precautionary statement 	Low-chromate acco ts irritation. ous eye damage.	of labelling: ording to EU-VO 1907/2000	6 (REACH)
P101 P102		is needed, have product co of children.	ntainer or label at hand.
P103	Read carefully and	d follow all instructions.	
P261 P280	Avoid breathing du	ust. loves / eye protection.	
	IF IN EYES: Rins lenses, if present		
P332+P313		curs: Get medical advice/a	
			(Contd. on page 2)

Printing date 14.05.2024

Version number 5

Revision: 14.05.2024

(Contd. of page 1)

Trade name FUGENMÖRTEL EXTREM FME 80 GRAU

P501

Dispose of contents/container in accordance with local/regional/national/

international regulations.

2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

 · Dangerous components:

 CAS: 65997-15-1
 Cement portland, Low-chromate according to EU-VO 1907/2006
 10-25%

 EINECS: 266-043-4
 (REACH)
 ♦ Eye Dam. 1, H318

Skin Irrit. 2, H315; STOT SE 3, H335

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- General information Instantly remove any clothing soiled by the product.
- After inhalation
- Supply fresh air and call for doctor for safety reasons.
- In case of unconsciousness bring patient into stable side position for transport.
- After skin contact
- Instantly wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- · After swallowing
- In case of persistent symptoms consult doctor.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- [•] Suitable extinguishing agents

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- [•] 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:
- Use neutralising agent.

(Contd. on page 3)

GB

Printing date 14.05.2024

Version number 5

Revision: 14.05.2024

Trade name FUGENMÖRTEL EXTREM FME 80 GRAU

(Contd. of page 2) Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Allow to solidify. Collect mechanically. Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.

· Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and containers: Store only in the original container.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store under dry conditions.

• Storage class 13

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Components with critical values that require monitoring at the workplace:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

• Additional information: The lists that were valid during the compilation were used as basis.

[•] 8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

• **Breathing equipment:** In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or

In case of bher exposure of low ponation use breathing inter apparatus. In case of intensive longer exposure use breathing apparatus that is independent of circulating air. Filter P2.

· Hand protection Protective gloves.

• Material of gloves

Nitrile rubber, NBR Butyl rubber, BR

(Contd. on page 4)

GB

Printing date 14.05.2024

Version number 5

Revision: 14.05.2024

(Contd. of page 3)

Trade name FUGENMÖRTEL EXTREM FME 80 GRAU

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Tightly sealed safety glasses.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

General Information	
Physical state	Solid.
Colour:	According to product specification
Smell:	Odourless
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	
boiling range	2,230 °C (14808-60-7 Quartz (SiO2))
Flammability	Not applicable.
Flash point:	Not applicable
Decomposition temperature:	Not determined.
рН	Alkaline
Viscosity:	
Kinematic viscosity	Not applicable.
dynamic:	Not applicable.
Solubility	
· Water:	Partly miscible
Steam pressure at 1732 °C:	13.5 hPa (14808-60-7 Quartz (SiO2))
Density and/or relative density	
Density and/or relative density	Not determined
Settled apparent density	1,300-1,550 kg/m ³
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of hea and environment, and on safety.	alth
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Solvent content:	r roduct is not explosive.
Solids content:	100.0 %
Information with regard to physical haz classes	aro
Explosives	Void
Flammable gases	Void
· Aerosols	Void
	Void
Oxidising gases	Void
Gases under pressure	
r Flammable liquids r Flammable solids	Void
	Void
	Void
Self-reactive substances and mixtures	
Self-reactive substances and mixtures Pyrophoric liquids	Void
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Void Void
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void

GB

Printing date 14.05.2024

Version number 5

Revision: 14.05.2024

Trade name FUGENMÖRTEL EXTREM FME 80 GRAU

		(Contd. of page 4)
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 6)

GB

Printing date 14.05.2024

Version number 5

Revision: 14.05.2024

Trade name FUGENMÖRTEL EXTREM FME 80 GRAU

(Contd. of page 5)

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

[.] Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation:
- Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

• Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void			
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void			
· 14.3 Transport hazard class(es)				
· ADR, ADN, IMDG, IATA · Class	Void			
· 14.4 Packing group · ADR, IMDG, IATA	Void			
 14.5 Environmental hazards: Marine pollutant: 	No			
· 14.6 Special precautions for user	Not applicable.			
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.				
· UN "Model Regulation":	Void			

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

[•] Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

[·] Reportable poisons

None of the ingredients is listed.

(Contd. on page 7)

GB

Printing date 14.05.2024

Version number 5

Revision: 14.05.2024

Trade name FUGENMÖRTEL EXTREM FME 80 GRAU

(Contd. of page 6)

[·] Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. · Contact: chemikalieninfo@murexin.com (+43 02622/27401) · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 ** Data compared to the previous version altered. GB