Printing date 04.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- Trade name NIVELLIERMASSE TOPLEVEL NE 30
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Flag floor finish/ Fluidised floor
- · 1.3 Details of the supplier of the safety data sheet
- *Manufacturer/Supplier:* MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

💵 🛃 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

[•] 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



· Signal word Danger

Cement portland, • Hazard stateme	rious eye damage.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P280	Wear eye protection / face protection.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
[•] 2.3 Other hazard	ds
· Results of PBT	and vPvB assessment
· PBT: Not applica	ble.
• vPvB: Not applic	able.
	GB

(Contd. on page 2)

Printing date 04.09.2024

Version number 12 (replaces version 11)

Revision: 04.09.2024

Trade name NIVELLIERMASSE TOPLEVEL NE 30

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

Dangerous componer	nts:	
CAS: 1317-65-3 EINECS: 215-279-6	Calciumcarbonat substance with a Community workplace exposure limit	10-25%
CAS: 65997-15-1 EINECS: 266-043-4	Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH) Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335	≥5-<10%
CAS: 999999-99-4 EC number: 310-127-6	Leucophyllite Consisting of: 14808-60-7 Quartz (SiO2) (1-10%) � STOT RE 2, H373	1-2.5%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact

Instantly wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor. • After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up: Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

- · 6.4 Reference to other sections
- See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB

Printing date 04.09.2024

Version number 12 (replaces version 11)

Revision: 04.09.2024

(Contd. of page 2)

Trade name NIVELLIERMASSE TOPLEVEL NE 30

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Thorough dedusting. Keep containers tightly sealed. Prevent formation of dust.

· Information about protection against explosions and fires: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.

Store under dry conditions.

- Storage class 13
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

[•] 8.1 Control parameters

• Components with critical values that require monitoring at the workplace:

1317-65-3 Calciumcarbonat

WEL Long-term value: 10* 4** mg/m³

*inhalable dust; **respirable

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Breathing equipment:

Breathing protection recommended. Filter P2.

· Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

GB -

Printing date 04.09.2024

Version number 12 (replaces version 11)

Revision: 04.09.2024

(Contd. of page 3)

Trade name NIVELLIERMASSE TOPLEVEL NE 30

• *Eye/face protection Tightly sealed safety glasses.* • *Body protection: Protective work clothing.*

SECTION 9: Physical and chemical properties

. 0.1 Information on basis reveised and the	minal proportion
• 9.1 Information on basic physical and cher	mical properties
· General Information	Solid
· Physical state	Solid.
· Colour:	Grey
Smell:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and	
boiling range	2,230 °C (14808-60-7 Quartz (SiO2))
Flammability	Not determined.
Flash point:	Not applicable
Decomposition temperature:	Not determined.
·рН	Alkaline
· Viscosity:	
 Kinematic viscosity 	Not applicable.
· dynamic:	Not applicable.
[·] Solubility	
· Water:	Partly miscible
· Partition coefficient n-octanol/water (log	
value)	Not determined.
Steam pressure at 1732 °C:	13.5 hPa (14808-60-7 Quartz (SiO2))
Density and/or relative density	
· Density at 20 °C	2.4-2.7 g/cm³ (Schüttdichte)
· Relative density	Not determined.
· Vapour density	Not applicable.
9.2 Other information	
· Appearance:	
· Form:	Powder
· Important information on protection of hea	
and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
• Explosive properties:	Product is not semgining. Product is not explosive.
· Change in condition	1 10440L 13 110L GAPIOSIVE.
· Evaporation rate	Not applicable.
•	
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
• Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
[.] Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
	(Contd. on page 5

Printing date 04.09.2024

Version number 12 (replaces version 11)

Revision: 04.09.2024

Trade name NIVELLIERMASSE TOPLEVEL NE 30

		(Contd. of page 4)
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

1317-65-3 Calciumcarbonat

Oral LD50 >5,000 mg/kg (rat)

· Serious eye damage/irritation Causes serious eye damage.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· Aquatic toxicity:

•	2	
1317-65-3	Calciumcarbonat	
EC 50/48h	>1,000 mg/l (G)	
EC 50	289 mg/l (Desmodesmus subspicatus)	
LC50	>10,000 mg/l (Oncorhynchus mykiss (Regenbogenforelle))	
 12.3 Bioact 12.4 Mobil 12.5 Result PBT: Not at vPvB: Not 12.6 Endo The product 12.7 Other Additional General net Must not ret 	applicable. crine disrupting properties of does not contain substances with endocrine disrupting properties. adverse effects ecological information:	(Contid on posso 6)

(Contd. on page 6)

GB

Printing date 04.09.2024

Version number 12 (replaces version 11)

Revision: 04.09.2024

Trade name NIVELLIERMASSE TOPLEVEL NE 30

(Contd. of page 5)

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information	
 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
 14.3 Transport hazard class(es) 	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 · 14.5 Environmental hazards: · Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	g to Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 7)

GB -

Printing date 04.09.2024

Version number 12 (replaces version 11)

Revision: 04.09.2024

Trade name NIVELLIERMASSE TOPLEVEL NE 30

(Contd. of page 6)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
 Relevant phrases H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure.
 Contact: chemikalieninfo@murexin.com (+43 02622/27401) Abbreviations and acronyms: RiD: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Maritime Code for Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (ingle exposure) – Category 2
• * Data compared to the previous version altered.
G